


References

As of 27 March 2020

everX
Posterior™
from GC

The strongest composite
sub-structure.
Extending the limits
of direct restorations.



,'GC,'



everX Posterior™

Fiber Reinforced Composite for dentin replacement

1. Preliminary clinical evaluation of short fiber-reinforced composite in posterior teeth: 12-month report. Garoushi S, Tanner J, Vallittu PK, Lassila L. Open Dent J. 2012; 6:41-45.
2. Bilayered Dental Composite Resin – Load Bearing Capacity of Combinations of Fibre-Reinforced and Particulate-Filler Composite. Garoushi SK. 2006. Annales Universitatis Turkuensis, Sarja D, osa 721. ISBN 951-29-3135-4.
3. Load bearing capacity of fibre-reinforced and particulate filler composite resin combination. Garoushi S, Lassila LV, Tezvergil A, Vallittu PK. J Dent 2006; 34:179-84.
4. The effect of fiber orientation on the polymerization shrinkage strain of fiber-reinforced composites. Tezvergil A, Lassila LV, Vallittu PK. Dent Mater 2006; 22: 610-616.
5. Short glass fiber reinforced restorative composite resin with semi-interpenetrating polymer network matrix. Garoushi S, Vallittu PK, Lassila LV. Dent Mater 2007; 23:1356-62.
6. Effect of storage time on microtensile bond strength of short glass fibre - reinforced composite. Garoushi S, Vallittu PK, Lassila LV. Chin J Dent Res 2007; 10:7-11.
7. Effect of nanofiller fraction and temperature on polymerization shrinkage on glass fiber reinforced filling material. Garoushi S, Vallittu PK, Watts DC, Lassila LV. Dent Mater 2008; 24:606-10.
8. Polymerization shrinkage of experimental short glass fiber-reinforced composite with semi-interpenetrating polymer network matrix. Garoushi S, Vallittu PK, Watts DC, Lassila LV. Dent Mater 2008; 24:211-215.
9. Depth of cure and surface microhardness of experimental short fiber-reinforced composite. Garoushi S, Vallittu PK, Lassila LV. Acta Odontol Scand 2008; 66:38-42.
10. Fracture toughness, compressive strength and load bearing capacity of short glass fiber-reinforced composite resin. Garoushi S, Lassila LV, Vallittu PK. Chi J Dent Res 2011; 14:1 - 5.
11. Adherence of Streptococcus mutans to fiber-reinforced filling composite and conventional restorative materials. Lassila LV, Garoushi S, Tanner J, Vallittu PK, Soderling E. Open Dent J 2009; 3:227-232.
12. Effect of fiber-reinforced composite at the interface on bonding of resin core system to dentin. Cekic-Nagas I, Ergun G, Tezvergil A, Vallittu PK, Lassila LV. Open Dent J 2008; 5:736-743.
13. Bilayered dental composite resin. Load bearing capacity of combination of fibre-reinforced and particulate reinforced composite. Garoushi S. Finnish Dental Journal 2007; 3:6-7.

,'GC,'

14. Fracture resistance of short, randomly oriented, glass fiber-reinforced composite premolar crowns. Garoushi S, Vallittu PK, Lassila LVJ. *Acta Biomater* 2007; 3: 779-784.
15. Bond strength of fiber reinforced composite substructure to restorative composites. Tanner J, Le Bell-Ronnlof A-M, Alfont G, Sailynoja E, Lassila LV, Vallittu PK. *IADR* 2011; Abstract 1993.
16. Effect of particulate nanofillers on the surface microhardness of glass-fibre-reinforced filling composite resin. Garoushi S, Vallittu PK, Lassila LV. *Chi J Dent Res* 2008; 11:20-24.
17. Static and fatigue compression test for particulate filler composite resin with fiber-reinforced composite substructure. Garoushi S, Lassila LV, Tezvergil A, Vallittu PK. *Dent Mater* 2007; 23: 17-23.
18. Fiber-reinforced composite substructure: Load-bearing capacity of an onlay restoration. Garoushi S, Lassila LV, Vallittu PK. *Acta Odontol Scand* 2006; 64:281-285.
19. Fiber-reinforced composite substructure: Load-bearing capacity of an onlay restoration and flexural properties of the material. Garoushi S, Lassila LV, Tezvergil A, Vallittu PK. *J Contemp Dent Pract* 2006; 7:1-14.
20. Fatigue strength of fragmented incisal edges restored with a fiber reinforced restorative material. Garoushi S, Lassila LV, Vallittu PK. *J Contemp Dent Pract* 2007; 8:1-10.
21. Short fiber reinforced composite: The effect of fiber length and volume fraction. Garoushi S, Lassila LV, Vallittu PK. *J Contemp Dent Pract* 2006; 7:1-10.
22. Fracture resistance of fragmented incisal edges restored with fiber-reinforced composite. Garoushi S, Ballo A, Lassila LV, Vallittu PK. *J Adhes Dent* 2006; 8: 91-95.
23. Direct restoration of severely damaged incisors using short fiber-reinforced composite resin. Garoushi S, Vallittu PK, Lassila LV. *J Dent* 2007; 35:731-736.
24. The effect of span length of flexural testing on properties of short fiber reinforced composite. Garoushi S, Lassila LV, Vallittu PK. *J Mater Sci Mater Med* 2011; 23:325-328.
25. Fracture load of tooth restored with fiber post and experimental short fiber composite. Bijelic J, Garoushi S, Vallittu PK, Lassila LV. *Open Dent J* 2011; 5:58-65.
26. Fracture behavior of structurally compromised non-vital maxillary premolars restored using experimental fiber reinforced composite crowns. Fokkinga W, Kreulen C, Le Bell AM, Lassila LV, Vallittu PK, Creugers N. *Am J Dent* 2006; 19:326-332.
27. Direct composite resin restoration of an anterior tooth: effect of fiber-reinforced composite substructure. Garoushi S, Lassila LV, Vallittu PK. *Eur J Prosthodont Restor Dent* 2007; 15:61-66.
28. Use of short fiber-reinforced composite with semi-interpenetrating polymer network matrix in fixed partial dentures. Garoushi S, Vallittu PK, Lassila LV. *J Dent* 2007; 35: 403 – 408.
29. Adherence of *S. Mutans* to fiber-reinforced-filling composite and restorative materials. Lassila LV, Garoushi S, Tanner J, Vallittu PK, Soderling E. *EADR* 2007;Abstract 0023.
30. Microhardness of a cavity base material at different light – curing depths. Le Bell-Ronnlof A-M, Tanner J, Alfont G, Sailynoja E, Lassila LV. *IADR* 2011; Abstract 1997.

31. Restoration of endodontically treated molars using fiber reinforced composite substructure. Lammi M, Tanner J, Le Bell-Ronnlof A-M, Lassila LV, Vallittu PK. IADR 2011; Abstract 2517.
32. Biomimetic restorative dentistry: clinical possibilities with a recently developed short fibre-reinforced composite. Keulemans F, Lassila LV, Vallittu P, De Moor R. Conseuro 2011; Abstract 29.
33. Continuous and short fiber reinforced composite in root post-core system of severely damaged incisors. Garoushi S, Vallittu PK, Lassila LV. Open Dent J 2009; 3:36-41.
34. Effect of fiber-reinforced composites on the failure load and failure mode of composite veneers. Turkaslan S, Tezvergil A, Bagis B, Vallittu PK, Lassila LV. Dent Mater J 2009; 5:530-536.
35. Fracture load behaviour of incisors restored with Xenius short fiber-reinforced composite. Bijelic J, Garoushi S, Vallittu P, Lassila L. IADR 2012; Abstract 391.
36. Fracture-Load Behaviour of Incisors Restored with Xenius Short Fiber Composite. Bijelic J. Abstract 391 –IADR Finland 2012
37. Short-Fiber Reinforced Composite: New Alternative for Direct Onlay Restoration. L. Lassila. Abstract 408 – IADR Finland 2012
38. Interpenetrating Polymer Networks (IPNs) in Dental Polymers and Composites. Matinlinna JP, Mittal KL. Adhesion Aspects in Dentistry. The Netherlands. IDC Publishers, Martinus Nijhoff Publishers and VSP. 63-74. ISBN 978-90-04-17271.
39. Clinical challenges and the relevance of materials testing for posterior composite restorations. Sarrett DC. Dent Mater. 2005 Jan;21(1):9-20.
40. Mechanical Characterization of Short fiber reinforced composite Xenius. L. Lassila, S. Garoushi, J. Bijelic, P. Vallitu. Abstract 1562 – IADR Seattle 2013
41. Physical properties and depth of cure of a new short fiber reinforced composite. S. Garoushi, E. Säilynoja, P.K. Vallittu, L. Lassila. Dental materials 29 (2013) 835-841
42. Short fiber-reinforced Composite in Restoring Severely Damaged Incisors. J. Bijelic, S. Garoushi, P.K. Vallittu, L.V.J. Lassila. Acta Odontologica Scandinavia, 2013, Early Online, 1-11
43. Quality of cure in Depth of All Commercially Available Bulk-Fill Composites. J.G. Leprince, G. Leloup. Abstract 154- Conseuro Paris 2013
44. A new Biomimetic Endocrown Design for the Restoration of Endodontically Treated Teeth. F. Keulemans, M. Leconte, G. Hommez, M. De Bruyne, P. De Coster, R. De Moor. Abstract 187 – Conseuro Paris 2013
45. The Effect of Fibers Length on the Fracture Toughness of Short Fiber Reinforced Composites. E. Säilynoja, L. Lassila, P.K. Vallitu. Abstract ADM Vancouver 2013
46. Influence of selective enamel etching on the bonding effectiveness of a new “all-in-one” adhesive. C. Goracci, C. Rengo, L. Eusepi, J. Juloski, A. Vichi, M. Ferrari. American Journal of Dentistry Vol. 26, No. 2, April, 2013
47. Evaluation of a fibre reinforced composite properties for bulk filling. H. Abouelleil, T. Munhoz, C. Villat, P. Colon, B. Grosgogeat, N. Pradelle-Plasse. Abstract 207, IADR Firenze 2013
48. Microleakage Evaluation of Bulk-fill Fiber-reinforced Composite in Class II Cavities J. Juloski, C. Rengo, C. Goracci, A. Vichi, Z.R. Vulicevic, M. Ferrari. Abstract 308 –IADR Firenze 2013

49. Translucency, curing efficiency and hardness of bulk-fill composites. V. Miletic, P. Pongprueksa, J. De Munck, B. Van Meerbeek. Abstract 204 – IADR Firenze 2013
50. Bonding effectiveness of fiber-reinforced composite to dentin. T. Washino, J. de Munck, A. van Ende, A. Mine, B. van Meerbeek. Abstract 524 – IADR Firenze 2013
51. Degree of conversion of a fiber-reinforced composite measured by micro-Raman. X. Li, P. Pongprueksa, J. De Munck, B. Van Meerbeek. Abstract 535 – IADR Firenze 2013
52. Continuous and short fiber reinforced composite in root post-core system of severely damaged incisors. Garoushi, S., Vallittu, P.K. & Lassila, L.V.J. 2009: — Open Dentistry Journal 3: 36-41. [C]
53. Polymerization efficiency and flexural strength of low-stress restorative composites. C. Goracci, M. Cadenaro, L. Fontanive, G. Giangrosso, J. Juloski, A. Vichi, Marco Ferrari. Dent Mater. 2014 Jun;30(6):688-94
54. In vitro fracture resistance of molar teeth restored with a short fiber-reinforced composite material. Fráter M., Forster A, Kereszt'uri M., Braunitzer G., Nagy K. J Dent. 2014 Sep;42(9):1143-1150.
55. The Effect of Two Bulk Fill Resin Composites on Micoleakage in Endodontically Treated Teeth. S. Tuncer, M. Demirci, N. Tekçe, A. K. Tuncer, H.Gözükara Bag. The Journal of Dentist 1 (2013), 8-15
56. Fracture resistance of endodontically restored, weakened incisors. R.G.E.C. Cauwels, V.J. Lassila, L.C. Martens, P.K. Vallittu, R.M.H. Verbeeck. Dental Traumatology 2014; 30; 348-355
57. Physical Properties of a New Fiber-reinforced Composite. D. Takada, E. Säilynoja, T. Ueno, K. Ikushima, and T. Kumagai. Abstract 1155- IADR 2013
58. Short Fiber Reinforced Composite: a New Alternative for Direct Onlay Restorations. S.Garoushi, E. Mangoush, P.Vallittu and L.Lassila. The Open Dentistry Journal, 2013, 7, 181-185
59. High-aspect ratio fillers: Fiber-reinforced composites and their anisotropic properties. P.K. Vallittu. Dental Materials 31 (2015), pp. 1-7.
60. Influence of using different bonding systems and composites on the margin integrity and the mechanical properties of selectively excavated teeth in vitro. F. Schwendicke, M. Kern, C. Dörfer, J. Kleemann-Lüpkes, S. Paris, U. Blunck. Journal of Dentistry 43(2015), pp. 327-334.
61. The effect of short fiber composite base on micoleakage and load-bearing capacity of posterior restorations. S.K. Garoushi, M. Hatem, L.V.J. Lassila & P.K. Vallittu. Acta Biomater Odontol Scand, 2015, pp. 1-7.
62. The effect of a fiber reinforced cavity configuration on load bearing capacity and failure mode of endodontically treated molars restored with CAD/CAM resin composite

- overlay restorations. G.T. Rocca, C.M. Saratti, M. Cattani-Lorente, A.J. Feilzer, S. Scherrer & I. Krejci. *Journal of Dentistry* (2015), pp. 1-10.
63. Comparison of mechanical properties of a new fiber reinforced composite and bulk filling composites. H. Abouelleil, N. Pradelle, C. Villat, N. Attik, P. Colon & B. Grosgogeat. *Restorative Dentistry & Endodontics*, 2015, 40:e27, pp. 1-9.
64. Effect of load cycling on the fracture strength/mode of root canal treated teeth restored with FRC-posts or FRC-base. D. Papadogiannis, E.R. Farmakis, G. Eliades. Poster #0100, IADR 2015 Antalya
65. Physico-mechanical characteristics of commercially available bulk-fill composites. J.G. Leprince, W.M. Palin, J. Vanacker, J. Sabbagh, J. Devaux & G. Leloup. *Journal of Dentistry* 42 (2014), pp. 993-1000.
66. The influence of FRCs reinforcement on marginal adaptation of CAD/CAM composite resin endocrowns after simulated fatigue loading. G. T. Rocca, C.M. Saratti, A. Poncet, A.J. Feilzer & I. Krejci. *Odontology*. 2016 May;104(2), pp. 220-32.
67. Bonding performance and interfacial characteristics of short fiber reinforced resin composite in comparison with other composite restoratives. A. Tsujimoto, W.W. Barkmeier, T. Takamizawa, M.A. Latta & M. Miyazaki. *European Journal of Oral Sciences* 2016; pp. 1-8.
68. Comparative Evaluation of Microleakage of Class II Cavities Restored with Different Bulk Fill Composite Restorative Systems: An In Vitro Study. P. Patel, M. Shah, N. Agrawal, P. Desai, K. Tailor & K. Patel. *Journal of Research and Advancement in Dentistry*, 2016;5(2), pp. 52-62
69. In vitro fracture resistance of endodontically treated premolar teeth restored with a direct layered fiber-reinforced composite post and core. A. Forster, T. Sáry, G. Braunitzer, M. Fráter. *Journal of Adhesion Science and Technology*, 2016.
- <http://dx.doi.org/10.1080/01694243.2016.1259758>
70. Influence of polymerisation method and type of fibre on fracture strength of endodontically treated teeth. N. Tekçe, K. Pala, S. Tuncer, M. Demirci & M.E. Serim. *Australian Endodontic Journal* 2016.
71. Comparison of Shear Bond Strength and Microleakage of Various Bulk-fill Bioactive Dentin substitutes: An in vitro Study. F.I. Alkhudhairy & Z.H. Ahmad. *The Journal of Contemporary Dental Practice*, December 2016;17(12), pp. 997-1002.
72. Comparison of shear bond strength and microleakage of various bulk-fill bioactive dentin substitutes: an in vitro study. F.I. Alkhudhairy & Z.H. Ahmad. *Journal of Contemporary Dental Practice*, 2016;17(12), pp. 997-1002.
73. Comparative evaluation of microleakage of class II cavities restored with different bulk fill composite restorative systems: an in vitro study. P. Patel, M. Shah, N.

- Agrawal, P. Desai, K. Tailor & K. Patel. Journal of Research and Advancement in Dentistry, 2016;5(2), pp. 52-62.
74. Mechanical Properties and Wear of Five Commercial Fibre-Reinforced Filling Materials/ S. Garoushi, P.K., Vallittu & L. Lassila. The Chinese journal of Dental Research. May, 2017. Volume 20, number 3. PP. 137-143
75. Evaluating the Marginal Integrity of Bulk Fill Fibre Reinforced Composites in Bio-mimetically Restored Tooth. Abstract. Patnana, A., K., Vanga, V., N., R., & Chandrabahlla, S., K. (2017). *Journal of Clinical and diagnostic research*. 11(6), pp. ZC24-ZC27. Doi.: 10.7860/JCDR/2017/27835.10049.
76. Characterization of Inorganic Filler Content, Mechanical Properties, and Light Transmission of Bulk-fill Resin Composites. Abstract. Fronza, B., M., Ayres, A., Pacheco, R., R., Rueggeberg, F., A., & Gianni, M. (2017). *Operative Dentistry*. 42(4). Pp. 445-455. Doi.: 10.2341/16-D24-L.
77. Fracture resistance of endodontically treated teeth with short fiber composite used as a core-material-An in vitro study. Abstract. Garlapati, T., G., Krishnakadatta, J., & Natanasabapathy, V. (2017). *Journal of Prosthodontic Research*. 61(4). Pp. 464-470. Doi.: 10.1016/j.jpor.2017.02.001.
78. Influence of polymerization method and type of fibre on fracture strength of endodontically treated teeth. Abstract. Tekce, N., Pala, K., Tuncer, S., Demirci, M., & Serim, M., E. (2016). *Australian endodontic Journal*. Doi.: 10.1111/aej.12187.
79. Local deformation fields and marginal integrity of sculptable bulk-fill, low-shrinkage and conventional composites. Abstract. Miletic, V., Peric, D., Milosevic, M., Manojlovic, D., & Mitrovic, N. (2016). *Dental materials*. 32(11). Pp. 1441-1451. Doi.: 10.1016/j.dental.2016.09.011.
80. Leaching of monomers from bulk-fill composites: An in vitro study. Abstract. Sajnani, A., R., & Hedge, M., N. (2016). *Journal of Conservative Dentistry*. 16(5). Pp. 482-486. Doi.: 10.4103/0972-0707.190020.
81. Influence of increment thickness an dentin bond strength and light transmission of composite base materials. Abstract. Omran, T., A., Garoushi, S., Abdulmajeed, A., A., Lassila, L., V., & Vallittu, P., K. (2017). *Clinical oral investigations*. 21(5). Pp. 1717-1724. Doi.: 10.1007/s00784-016-1953-6.
82. Mechanical and structural characterization of discontinuous fiber-reinforced dental resin composite. Abstract. Bijelic-Donova, L. Garoushi, S., Lassila, L., V., Keulemans, F., & Vallittu P., K. (2016). *Journal of Dentistry*. 52. Dio.: 10.1016/j.jdent.2016.07.009.
83. Curing characteristics of flowable and sculptable bulk-fill composites. Abstract. Miletic, V., Pongprueksa, P., De Munck, J., Brooks, N., R., & Van Meerbeek, B. (2017). *Clinical oral investigations*. 21(4). Pp. 1201-1212. Doi.: 10.1007/s00784-016-1894-0.

84. Fracture Resistance of Endodontically Treated teeth restored with Bulk-fill, Bulk-fill flowable, Fiber-reinforced, and conventional Resin Composite. Abstract. Atalay, C., Yazici, A., R., Horuztepe, A., Nagas, E., Ertan, A., & Ozgunaltay, G. (2016). *Operative Dentistry*. 41(5). E131-A140.
85. Mechanical properties of fiber reinforced restorative composite with two distinguished fiber length distribution. Abstract. Lassila, L., Garoushi, S., Vallittu, P., K., & säilynoja, E. (2016). *Journal of the mechanical behavior of biomedical materials*. 60. Pp. 331-338. Doi.: 10.1016/j.jmbbm.2016.01.036.
86. Effect of fibre-reinforced composite on the fracture resistance of endodontically treated teeth. Abstract. Ozsevik, A., S., Yildirim, C., Aydin, U., Culha, E., & Surmelioglu, D. (2016). *Australian endodontic Journal*. 42(2). Pp. 82-87. Doi.: 10.1111/aej.12136.
87. Monomer conversion, microhardness, internal marginal adaptation, and shrinkage stress of bulk-fill resin composites. Abstract. Fronza, B., M., Rueggeberg, F., A., Braga, R., R., Mogilevych, B., Soares, L., E., Martin, A., A., Ambrosano, G., & Giannini, M. *Dental Materials*. 31(12). Pp. 1542-1551. Doi.: 10.1016/j.dental.2015.10.001.
88. Viscoelastic properties, creep behavior and degree cpnversion of bulk-fill composite resins. Abstract. Papadogiannis, D., Tolidis, K., Gerasimou, P., Lakes, R., & Papadogiannis, Y. (2015). *Dental Materials*. 31(12). Pp. 1533-1541. Doi.: 10.1016/j.dental.2015.09.022.
89. Mechanical properties, fracture resistance, and fatigue limits of short-fiber reinforced dental composite resin. Abstract. Bijelic-Donova, J., Garoushi, S., Vallittu, P., & K., Lassila, L., V. (2016). *Journal of Prosthetic Dentistry*. 115(1). Pp. 95-102. Doi.: 10.1016/j.prosdent.2015.07.012.
90. Short fibre-reinforced composite for extensive direct restorations: a laboratory and computational assessment. Abstract. Barreto, B., C., Van Ende, A., Lise, D., P., Noritomi, P., Y., Jaecques, S., Sloten, J., V., De Munck, J., & Van Meerbeek, B. (2016). *Clinical Oral Investigations*. 20(5). Pp. 959-966. Doi.: 10.1007/s00784-015-1576-3.
91. Polymerization kinetics and impact of post polymerization on the degree of conversion of bulk-fill resin-composite at clinically relevant depth. Abstract. Al-Ahdal, K., Ilie, N., Silikas, N., & Watts, D., C. (2015). *Dental Materials*. 31(10). Pp. 1207-1213. Doi.: 10.1016/j.dental.2015.07.004.
92. The effect of a fiber reinforced cavity configuration on load bearing capacity and failure mode of endodontically treated molars restored with CAD/CAM resin composite overlay restorations. Abstract. Rocca, G., T., Saratti, C., M., Cattani-Lorente, M., Feilzer, A., J., Scherrer, S., Krejci, I. (2015). *Journal of Dentistry*. 43(9). Pp. 1106-1115. Doi.: 10.1016/j.jdent.2015.06.012.
93. Oxygen inhibition layer of composite resins: effects of layer thickness and surface layer treatment on the interlayer bond strength. Abstract. Bijelic-Donova, J.,

- Garoushin S., Lassila, V., & Vallittu, P., K. (2015). *European Journal of Oral Sciences*. 123(1). Pp. 53-60. Doi.: 10.1111/eos.12167.
94. Effect of novel restorative materials and retention slots on fracture resistance of endodontically-treated teeth. Abstract. Yasa, B., Arslan, H., Yasa, E., Akcay, M., Hatirli, H.(2015). *Acta odontológica Scandinavia*. 74(2). Pp. 96-102. Doi.: 10.3109/00016357.2015.1046914.
95. The influence of framework design on the load-bearing capacity of laboratory-made inlay-retained fibre-reinforced composite fixed dental prostheses. Abstract. Keulemans, F., LAssila, L. V., Garoushi, S., Vilittu, P., K., Kleverlaan, C., J., & Feilzer, A., J. (2009). *Journal of biomechanics*. 42(7). Pp. 844-849. Doi. : 10.1016/j.jbiomech.2009.01.037.
96. The influence of increment thickness on light transmission, degree of conversion and micro hardness of bulk-fill composites. Abstract. Garoushi, S., Vallittu, P., Shinya, A., & Lassila, L. (2016). *Odontology*. 104(3). 291-297. Doi.: 10.1007/s10266-015-0227-0.
97. Translucency of flowable bulk-filling composites of various thicknesses. Abstract. Lassila, L., V., Nagas, E., Vallittu, P., K., & Garoushi, S. (2012). *The Chinese journal of Dental Research*. 15(1). Pp. 31-35.
98. Creep of experimental short fiber-reinforced composite resin. Abstract. Garoushi, Q., Kaleem, M., Shinya, A., Vaillittu, P., K., Satterwaite, J., D., Watts, D., C., & Lassila, L., V. (2012). *Dental Materials Journal*. 31(5). Pp. 737741.
99. Fracture behavior of single-structure fiber-reinforced composite restorations. Abstract. Nagata, K., Garoushi, S., Vallittu, P., K., Wakabayashi, N., Takahasi, H., & Lassila, L., V., J. (2016). *Acta Biomaterialia Odontologica Scandinavica*. 2(1). Pp. 118-124. Doi.: 10.1080/23337931.2016.1224670.
100. Properties of discontinuous S2-glass fiber-particulate-reinforced resin composites with two different fiber length distributions. Abstract. Huang, Q., Garoushi, S., Lin, Z., Qin, W., Liu, F., Vallittu, P., K., & Lassila, L., V. (2107). *Journal of Prosthodontic Research*. 61(4). Pp. 471-479. Doi. : 10.1016/j.jpor.2017.03.002.
101. Short fiber reinforced composite in restoring severely damaged incisors. Abstract. Bijelic, J., Garoushi, S., Vallittu, P., K., & Lassila, L., V. (2013). *Acta Odontologica Scandinavica*. 71(5). Pp. 1221-1231. Doi.: 10.3109/00016357.2012.757640.
102. Relationship between mechanical properties and bond durability of short fiber-reinforced resin composite with universal adhesive. Abstract. Tsujimoto, A., Barkmeier, W. W., Takamizawa, T., Watanabe, H., Johnson, W., W., Latta, M., & Miyazaki, M. (2016). *European Journal of Oral sciences*. 124(5). Pp. 480-489. Doi.: 10.1111/eos.12291.
103. Fracture Resistance of Premolars Restored Either with Short Fiber or Polyethylene Woven Fiber-Reinforced Composite. Abstract. Gürel MA, Helvacioğlu Kivanç B, Ekıcı A,

- & Alaçam T. (2016). *Journal of Esthetic and restorative dentistry*. 28(6). Pp.412-418.
Doi.: 10.1111/jerd.12241.
104. Curing profile of bulk-fill resin-based composites. Abstract. Li, X., Pongprueksa, P., Van Meerbeek, B., & De Munck, J. (2015). *Journal of Dentistry*. 43(6). Pp. 664-672.
Doi.: 10.1016/j.jdent.2015.01.002.
105. Bond strength of fiber posts and short fiber-reinforced composite to root canal dentin following cyclic loading. Abstract. Nagas, E., Cekic-Nagas, I., Egilmez, F., Erganu, G., Vallittu, P., K., & Lassila, L., V., J. (2017). *Journal of Adhesion Science and Technology*. 31(13). Pp. 1397-1407. Doi.: 10.1080/01694243.2016.1257261.
106. Polymerization shrinkage kinetics and shrinkage-stress in dental resin-composites. Abstract. Al sunbul, H., Silikas, N.,& Watts, D., C. (2016). *Dental Material*. 32(8). Pp. 998-1006. Doi.: 10.1016/j.dental.2016.05.006.
107. The force required fracture endodontically treated roots restored with various materials as intra-orifice barriers. Abstract. Yasa, E., Arslan, H., Yasa, B., Akcay, M., Alsancak, M., & Hatirli, H. (2017). *Journal of clinical practice*.
108. Endodontic Management of a Mandibular First Molar with Radix Entomolaris and Conservative Post-endodontic Restoration with CAD/CAM Onlay: A Novel Clinical Technique. Abstract. Yadav K, De Ataide IN, Fernandes M, Lambor R, Alreja D. (2016). *Journal of clinical and diagnostic research*. 10(11). Pp. 13-15. Doi.: 10.7860/JCDR/2016/22048.8828.
109. Fibre reinforcement in a structurally compromised endodontically treated molar: a case report. Abstract. Soares R, de Ataide Ide N, Fernandes M, Lambor R. (2016). *Restorative dentistry & endometrics*. 41(2). Pp. 143-147. Doi.: 10.5395/rde.2016.41.2.143.
110. Depth of cure of contemporary bulk-fill resin-based composites. Abstract. Yap AU, Pandya M, Toh WS. (2016). *Dental materials Journal*. 35(3). Pp. 503-510. Doi.: 10.4012/dmj.2015-402.
111. Resin-based composites show similar kinetic profiles for dimensional change and recovery with solvent storage. Abstract. Al Sunbul H, Silikas N, Watts DC. (2015). *Dental Materials*. 31(10). Pp. 201-217. Doi.: 10.1016/j.dental.2015.06.003.
112. Fracture Resistance of Endodontically Treated Teeth Restored with 2 Different Fiber-reinforced Composite and 2 Conventional Composite Resin Core Buildup Materials: An In Vitro Study. Abstract. Eapen AM, Amirtharaj LV, Sanjeev K, Mahalaxmi S. (2017). *Journal of endodontics*. 43(9). Pp. 1499-1504. Doi.: 10.1016/j.joen.2017.03.031.
113. Mechanical properties, volumetric shrinkage and depth of cure of short fiber-reinforced resin composite. Tsujimoto A, Barkmeier WW, Takamizawa T, Latta MA, Miyazaki M. (2016). *Dental Materials Journal*. (35(3). Pp. 418-424. Doi. 10.4012/dmj.2015-280.
114. Optimization of large MOD restorations: Composite resin inlays vs. short fiber-reinforced direct restorations. LM Soares, M. Razaghy, P. Magne. *Dental Materials* 34 (2018), 587-597

115. Optical properties of composite restorations influenced by dissimilar dentin restoratives. J. Marjanovic, D.N. Veljovic, J.N. Stasic, T. Savic-Stankovic, B. Trifkovic, V. Miletic. Dent Mater. 2018 Feb 2
116. Clinical evaluation of fiber-reinforced composite restorations in posterior teeth – results of 2.5 year follow-up. J. Tanner, M. Tolvanen, S. Garouchi, E. Säilynoja. The Open Dentistry Journal, 2018, 12, 476-485
117. Effect of Load Cycling on the Fracture Strength/Mode of Teeth Restored with FRC Posts or a FRC Liner and a Resin Composite. M.D. Gaintantzopoulou , E.T. Farmakis, G.C. Eliades. BioMed Research International Volume 2018, Article ID 9054301
118. Effect of fiber incorporation on the contraction stress of composite materials. A. Keßler, D. Kaisarly, R. Hickel, K.-H. Kunzelmann. Clinical Oral Investigations. <https://doi.org/10.1007/s00784-018-2572-1>
119. Mechanical properties and fracture behavior of flowable fiber reinforced composite restorations. L. Lassila, F. Keulemans, E. Säilynoja, P. Vallittu, S. Garoushi. Dental Materials 34 (2018) 598-606
120. The effects of different base materials on the stress distribution of the endodontically treated teeth: 3d fea. D.Halaçoglu, K. Yamanel. Cumhuriyet dental journal: 2019; 22(1) e-issn 2146-2852 doi: 10.7126/cumudj.453467
121. Fracture resistance and marginal gap formation of post-core restorations: influence of different fiber-reinforced composites. M. Fráter, L. Lassila, G. Braunitzer, P.K. Vallittu, S. Garoushi. Clinical Oral Investigations <https://doi.org/10.1007/s00784-019-02902-3>. Published online 16 May 2019
122. Hardness and fracture toughness ofresin-composite materials with and without fibers. A. Alshabib, N. Silikas, D.C. Watts. <https://doi.org/10.1016/j.dental.2019.05.017>
123. Fracture behavior of single-structure fiberreinforced composite restorations. K. Nagata, S.K. Garoushi, P.K. Vallittu, N. Wakabayashi, H. Takahashi, L.V.J. Lassila. Acta Biomaterialia Odontologica Scandinavica. ISSN: (Print) 2333-7931 (Online) Journal homepage: <http://www.tandfonline.com/loi/iabo20>
124. Short fiber-reinforced composite restorations: A review of the current literature. S. Garoushi, A. Gargoum, P.K. Vallittu, L. Lassila. Short fiber-reinforced composite restorations: A review of the current literature. J Invest Clin Dent. 2018;e12330. <https://doi.org/10.1111/jicd.12330>
125. Evaluation of Fracture Resistance of Endodontically Treated Maxillary Premolars Restored with Three Different Core Materials: An In Vitro Study. Sah S, Datta K, Velmurugan N, Lakshmanan G, Karthik L. Inter J of Oral Health and Medical Research ISSN 2395-7387 | MARCH-APRIL 2019 | VOL 5 | ISSUE 6 31.
126. Comparative Radiopacity of Different Posterior Restorative Materials. Ergucu Z, Balci M , Güneri P , Boyacioglu HL, Turkun S. CED-IADR, Madrid, 2019.
127. Fracture Strength of Various Types of Large Direct Composite and Indirect Glass Ceramic Restorations. MCFM de Kuijper, MMM Gresnigt, M van den Houten, D Haumahu, U Schepke, MS Cune. Operative Dentistry DOI: 10.2341/18-111-L
128. Fracture behaviour of MOD restorations reinforced by various fibrereinforced techniques – An in vitro study. T. Sáry, S. Garoushi, G. Braunitzer, D. Alleman, A. Volom, M. Fráter. Journal of the Mechanical Behavior of Biomedical Materials 98 (2019) 348–356 (Corrigendum attached to the PDF).
129. IR Laser/Blue LED Light Transmission Through Commercial Composites. Rueggeberg F et al. IADR, Vancouver, 2019.
130. Effect of Cyclic Fatigue Conditions on Composite Core Build-up Materials. Cimic S, et al. IADR, Vancouver, 2019.
131. Fracture Strength of Fiber-Reinforced-composite Direct Restoration in Extended MOD. Tempesta R, et al. IADR, Vancouver, 2019.
132. Resistencia a la fractura de los pernos y restauraciones reforzadas con fibra de vidrio. C. Cuevas Romero. 40th National Congress of Spanish Endodontic Association AEDE- Valencia 31 Oct-2 Nov 2019

133. Fiber Reinforcement of Endodontically Treated Teeth: What Options Do We Have? Sufyan G. et al. Eur J Prosth Rest Dent. Ahead of publishing.
134. Color stability of bulk-fill and universal composite restorations with dissimilar dentin replacement materials. V. Miletic, J. Marjanovic, D.N. Veljovic, J.N. Stasic, V. Petrovic. Journal of Esthetic and Restorative Dentistry, Vol 31, Issue 5. 3 October 2019
<https://doi.org/10.1111/jerd.12529>

Articles in Dental magazines

1. "Fibres are changing dentistry". Prof Vallittu. GC Get Connected #1, pp.16-19 (2013)
2. "Tips and strategies for restoring large cavities using fibre-reinforced material". Drs Javier Tapia and Stephane Browet. GC Get Connected #2, pp. 15-20, 2014
3. "Fibres (un)limited". Prof Filip Keulemans. GC Get Connected #2 pp. 8-14, 2014
4. Restauración de clase II con composite de fibras calentado, matriz evolucionada y técnica de esferas cuspídeas. Dr. Pedro Ariño Rubiato. GD Caso Clínico, 280 | MAYO 2016 p140-148.
5. Restauración de clase ii con composite de fibras calentado, matriz evolucionada y técnica de esferas cuspídeas. Leticia Ariño Domingo. Gaceta dental: Industria y profesiones, 280(2016, pp. 140-148.
6. Les composites renforcés de fibres de verre. C. Frese. BioMatériaux Cliniques, Vol. 1 – n°2 octobre 2016, pp. 68-74.
7. Les composites en monocouche ou bulk-fill. Partie 1 – Composition, particularités et classification. J. Sabbagh, M. Hajj, M. Feghali & H. Mansour. BioMatériaux Cliniques, Vol. 1 – n°2 octobre 2016, pp. 37-42.