

References

As of March 27, 2020



everX Flow™
from GC

Short-fibre reinforced
flowable composite
for dentine replacement

GC



everX Flow

1. Mechanical properties and fracture behavior of biomimetic fiber reinforced composite restorations. L. Lassila, F. Keulemans, P. Vallitu, S. Garoushi. TCBC
2. Bonding interface affects load-bearing capacity of bi-layered composites. T.Omran, S. Garoushi, L. Lassila, P. Vallittu. TCBC
3. Characterization of a new fiber-reinforced flowable composite. L. Lassila, E. Säilynoja, R. Prinssi, P. Vallittu, S. Garoushi. Odontology. Published online 08 January 2019. <https://doi.org/10.1007/s10266-018-0405-y>
4. Mechanical properties and fracture behavior of flowable fiber reinforced composite restorations. Lassila L, Keulemans F, Säilynoja E, Vallittu PK, Garoushi S. Dent Mater. 2018 Apr;34(4):598-606. doi: 10.1016/j.dental.2018.01.002
5. Mechanical properties and radiopacity of flowable fiber-reinforced composite. Garoushi S, Vallittu P, Lassila L. Dent Mater J. 2019 Mar 31;38(2):196-202. doi: 10.4012/dmj.2018-102
6. Characterization of a new fiber-reinforced flowable composite. Lassila L, Säilynoja E, Prinssi R, Vallittu P, Garoushi S. Odontology. 2019 Jul;107(3):342-352. doi: 10.1007/s10266-018-0405-y
7. Comparative Radiopacity of Different Posterior Restorative Materials. Ergucu Z , Balci M , Güneri P, Boyacioglu HL, Turkun S. CED-IADR, Madrid, 2019
8. Fracture behavior of Bi-structure fiber-reinforced composite restorations. L. Lassila, E. Säilynoja, R. Prinssi, P.K. Vallittu, S. Garoushi. Journal of the Mechanical Behavior of Biomedical Materials 101 (2020) 103444\
9. Mechanical Behaviour and Shrinkage Stress of Fiber Reinforced Flow Composite. Available on: <https://iadr.abstractarchives.com/abstract/ced-iadr2019-3221461/mechanical-behaviour-and-shrinkage-stress-of-fiber-reinforced-flow-composite>
10. Fracture behavior of Bi-structure fiber-reinforced composite restorations. Lassila L, Säilynoja E, Prinssi R, Vallittu PK, Garoushi S. J Mech Behav Biomed Mater. 2019 Sep 20;101:103444. doi: 10.1016/j.jmbbm.2019.103444
11. Rising R-curves in particulate/fiber-reinforced resin composite layered systems J. Tiu, R. Belli, U. Lohbauer. Journal of the mechanical behavior of biomedical materials 103 (2020) 103537
12. The influence of resin composite with high fiber aspect ratio on fracture resistance of severely damaged bovine incisors. L. Lassila, V. Oksanen, M. Frater, P. K.Vallittu, S. Garoushi. Dent Mater J 2020. doi:10.4012/dmj.2019-051 JOI JST.JSTAGE/dmj/2019-051
13. Bilayered composite restoration: The effect of layers thickness on the fracture behavior. L. Lassila, E. Säilynoja, R. Prinssi, P.K. Vallittu, S. Garoushi
14. The effect of polishing protocol on surface gloss of different restorative resin composites. L. Lassila, E. Säilynoja, R. Prinssi, P.K. Vallittu, S. Garoushi. Biomaterial Investigations in Dentistry 2020, Vol. 7, n°1, 1-8. <https://doi.org/10.1080/26415275.2019.1708201>
15. Interfacial bond strength and fracture behavior of Bi-layered composite structures. Reprinted with permission from the *Journal of Dental Research, J Dent Res* 98 (Spec Iss A):abstract number, URL, 2019 abstract number 3635, <https://iadr2019.zerista.com/event/member/582581>, 2019
16. Bilayered Composite Restoration: The Effect of Layers Thickness on the Fracture Behavior. S. Garoushi et al. *J Dent Res J Dent Res* Vol 99 (Spec Iss A): 1299, <https://iadr2020.zerista.com/event/member/677653>, 2020
17. Mechanical Properties of Novel Fiber-reinforced Flowable Composite Resin. A. Tachino et al. everX Flow, *J Dent Res J Dent Res* Vol 99 (Spec Iss A): 1837, <https://iadr2020.zerista.com/event/member/677721>, 2020



18. The Effect of Polishing Technique on Surface Gloss of Different Restorative Resin Composites. E. Säilynoja et al. *J Dent Res J Dent Res Vol 99 (Spec Iss A)*: 1867, <https://iadr2020.zerista.com/event/member/677978>, 2020
19. Fiber Reinforcement of Endodontically Treated Teeth: What Options Do We Have? Sufyan G. et al. *Eur J Prosth Rest Dent*. Ahead of publishing.
20. R-curve behavior of a short-fiber reinforced resin composite after water storage. J. Tiu, R. Belli , U. Lohbauer. *Journal of the Mechanical Behavior of Biomedical Materials* 104 (2020) 103674